



UNITED STATES PATENT AND TRADEMARK OFFICE

4117

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/727,152

12/02/2003

Qin Zhengdi

915-007.058

5267

4955 7590 01/09/2008

WARE FRESSOLA VAN DER SLUYS & ADOLPHSON, LLP
BRADFORD GREEN, BUILDING 5
755 MAIN STREET, P O BOX 224
MONROE, CT 06468

EXAMINER

VLAHOS, SOPHIA

ART UNIT

PAPER NUMBER

2611

MAIL DATE

DELIVERY MODE

01/09/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/727,152

Applicant(s)

ZHENGDI, QIN

Examiner

SOPHIA VLAHOS

Art Unit

2611

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 25 October 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 and 3-26 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3-5,9-19 and 23-26 is/are rejected.
- 7) ☒ Claim(s) 6-8 and 20-22 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 02 December 2003 is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

1. Applicant's arguments, see "Remarks", filed 10/25/2007, with respect to the rejection(s) of independent claim(s) 1, 12, 16, 26 under 35 U.S.C 103(a) have been fully considered and are persuasive since the secondary reference "Curve Fitting Toolbox" does not expressly teach "for different distributions of the signal strengths of said at least three determined samples". Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1, 3-5, 9-11, 12-19, 23-25, 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tiemann et. al., (U.S. 6,118,808) in view of "Curve Fitting Toolbox" July 2001 Version 1.

With respect to claim 1, Tiemann et. al., disclose: taking samples of said received signal (see column 12, lines 3-7, where every sample of the received signal corresponds to each 1.0ms segment stored in the signal memory and processed by elements 23,29,30 (in the system of Fig. 4)); determining at least

three samples, of which at least one has a signal strength exceeding a threshold value (see column 12, lines 13-16, function of block 31 of Fig. 4, where the determination of the at least three samples of which at least one has signal strength exceeding a threshold is preformed sequentially by the threshold detector, and see Fig. 14 where the dots are the accumulated correlation samples, see column 18, lines 33-44); and determining the position of said pulse peak based on an interpolation of at least two of said determined samples (see column 18, lines 45-66, the determination of the autocorrelation peak corresponds to the determining of the pulse peak (see lines 45-49)), which at least two samples are selected based on the signal strengths of said at least three determined samples, and which interpolation includes an evaluation of the signal strength of said at least two samples (see column 18, lines 50-53, see searching for the two largest adjacent entries, and A,B and C,D define line equations (i.e. the values of A,B, C,D are used to compute the line equations) that intersect at the pulse peak).

Tiemann et. al., do not expressly disclose: wherein different types of equations for said interpolation are provided for different distributions of the signal strengths of said at least three determined samples.

Solving the same problem (curve-fitting , data interpolation) the document "Curve Fitting Toolbox" discloses: wherein different types of equations for interpolation are provided (page 3-1, "Fitting Data" first paragraph, pages 3-68 through 3-72, section non-parametric fitting, and Figure on page 3-69 where a fitting example is shown, see also the first paragraph on same page where the

different types of equations (this corresponds to the types of interpolants mentioned on the first paragraph of page 3-69)).

At the time of the invention, it would have been obvious to a person skilled in the art to modify the system of Tiemann et. al., based on the teachings of the document "Curve Fitting Toolbox" so that different types of equations to perform the interpolation of Tiemann et. al., (see column 18, lines 49-50 of Tiemann et. al.,) and the rationale to use different types of equations for interpolation "depends on the characteristics of the data being fit, the required smoothness of the curve, speed considerations, postfit analysis requirements, and so on. The linear and nearest neighbor methods are fast, but the resulting curves are not very smooth. The cubic spline and shape-preserving methods are slower, but the resulting curves are often very smooth." (Curve Fitting Toolbox, page 3-69 first paragraph).

With respect to the limitation: wherein different types of equations for said interpolation are provided for different distributions of the signal strengths of said at least three determined samples, at the time of the invention it would have been obvious to modify the system of Tiemann et. al based on the teachings of the "Curve Fitting Toolbox" (the different types of equations used for interpolation) for different distributions of the signal strengths of said at least three determined samples (this limitation is interpreted to correspond to different-valued sets of data points (at least three in this case) that are interpolated) since it is understood that different types of equations (having different polynomials, or linear interpolation compared to polynomial) are used to interpolate between

different-valued sets of data points, since the same type of equation is not used to perform interpolation of different different-valued sets of data points.

With respect to claim 3, Tiemann et. al., disclose: wherein said at least two samples are selected based in addition on a model for a pulse shape (see fig. 4, the triangle function, see column 18, lines 41-44).

With respect to claim 4, Tiemann et. al., disclose: wherein equations for said interpolation are determined based on a model for a pulse shape (see fig. 4, the triangle function , see column 18, lines 41-44).

With respect to claim 5, Tiemann et. al., disclose: wherein said model of said pulse shape has a triangular shape (see triangle shape shown in Fig. 4).

With respect to claim 9, Tiemann et. al., disclose: wherein a weighting of the signal strengths of samples used in said interpolation is performed before said interpolation based on known deviations between said model of said pulse shape and a real pulse shape (see Fig. 14, where the solid line (triangle function) corresponds to the model of the pulse shape and the real pulse shape corresponds to the pulse shape(s) obtained using the "x" the typical samples (see the "x" distributions at each one of points A,B, C, D and so on, where the values of x are known and so is the model of the pulse (solid line) therefore the deviations between the model and the real pulse shape is known) are normalized

(weighted) to obtain the dots, and see that for example the dots at points C, D, where at point C the weighting moves the dot upwards towards the two topmost xx, whereas at point D the weighting moves the dot downwards towards the xxxx points)(see that first an average (weighing/normalization) of the samples at A, B, C, D is taken and then interpolation is used to generate line equations whose intersection is the peak, since the model is triangular).

With respect to claim 10, all of the limitations of claim 10, are analyzed above in claim 4, and the combination of Tiemann et. al., and the "Curve Fitting Toolbox" disclose: wherein a correction of a position determined based on said interpolation is performed based on known deviations between said model of said pulse shape and a real pulse shape and based on the signal strengths of said samples (see page 3-73, third paragraph where it is mentioned that the level of smoothing of the fitting applied to the data points can be changed (corrected) and the level of smoothing is applied) (this means that the interpolating line equations generated to match the model pulse shape which is triangular Fig. 14 of Tiemann, are corrected using smoothing if they look jagged).

With respect to claim 11, Tiemann et. al., disclose: , wherein said at least three samples are consecutive samples (see column 12, lines 13-20, where the threshold detector consecutively checks the thresholds and supplies samples to the control 35, that performs the search and interpolation).

With respect to claim 12, the limitations of apparatus claim 12 are rejected based on a rationale similar to the one used to reject method claim 1 above.

With respect to claim 13, Tiemann et. al., disclose: wherein said apparatus is a receiver receiving said signal (see column 3, lines 4-7, discussing the conventional acquisition apparatus used in a GPS, receiver, and Fig. 4 is an embodiment of the present invention, which is (part of) a GPS receiver, see also abstract).

With respect to claim 14, all of the limitations of claim 14, are analyzed above in claim 12, and Tiemann discloses: wherein said device is a device external to said receiver and comprises further a receiving component configured to receive from said receiver information on said received signal (see Fig. 4, GPS receiver structure, separate block RF/IF supplying signals to components 33,23,29, 30, 31, and 35 that perform the search and interpolation).

With respect to claim 15, Tiemann et. al., discloses: wherein said device is a network element of a cellular communication system (see column 3, lines 4-7, discussing the conventional acquisition apparatus used in a GPS receiver (network element), and Fig. 4 is an embodiment of the present invention, which is (part of) a GPS receiver (considered to be a network element), see also abstract)

With respect to claim 16, Tiemann et. al., disclose: Cellular communication system comprising an apparatus according to claim 12 (see abstract invention relates to a receiver in a GPS system, see also column 9, lines 6-7, discussing the conventional acquisition apparatus used in a GPS receiver and Fig. 4 is an embodiment of the present invention, which is (part of) a GPS receiver).

With respect to apparatus claims 17-19, 23-25, these claims are rejected based on a rationale similar to the one used to reject method claims 3-5, 9-11 above respectively.

Apparatus claim 26 is rejected based on a rationale similar to the one used to reject apparatus claim 12 above.

Allowable Subject Matter

6. Claims 6-8, 20-22 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SOPHIA VLAHOS whose telephone number is 571 272 5507. The examiner can normally be reached on MTWRF 8:30-17:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mohammed Ghayour can be reached on 571 272 3021. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

SV
1/5/2008


MOHAMMED GHAYOUR
SUPERVISORY PATENT EXAMINER